GOVERNMENT OF ANDHRA PRADESH ABSTRACT

Establishment – Irrigation & CAD Department - Smt. K. Padmavathamma, Attender O/o. the Chief Engineer, Hydrology, Hyderabad – Regularisation of service from the date of her initial appointment i.e. 20-3-1980 instead of 18.7.1994 – Orders – Issued.

IRRIGATION & CAD (SER.IX) DEPARTMENT

G.O.Rt.No. 394 Dated: 18-3-2009

Read the following:-

- 1) Representation from Smt. K. Padmavathamma, Attender O/o. the Chief Engineer, Hydrology, Hyderabad dt12-12-07.
- 2) Govt.Memo.No.35948/Ser.IX(2)/07, Dt.19.12.07.
- 3) From the Engineer-in-Chief(IW) Lr.No.ENC/IW/ A3(2)/6748/2000, dt.1.9.08.
- 4) Govt.Memo.No.35948/Ser.IX(2)/07-4, Dt.29.9.08.
- 5) Representation from Smt. K. Padmavathamma, Attender O/o. the Chief Engineer, Hydrology, Hyderabad dated 17-11-08.

ORDER:

In the reference 1st read above, Smt. K.Padmavathamma, Attender O/o. the Chief Engineer, Hydrology, Hyderabad has stated that she has been appointed on compassionate grounds, in place of her late husband Sri K. Venkata Rathnam, Work Inspector, Grade-IV who expired on 15-5-1979 while in service. Consequently she was appointed as Sweeper in full time contingent employee on monthly wages from 20-3-1980 and posted her to work under Gauging Sub-Division, Kurnool. After completion of 14 years, her services were regularized on 18-7-1994 as sweeper. Further she passed VII class exam in the year 1999. Subsequently she was posted in the Attender post with effect from 22-5-2000 in the office orders of Engineer-in-Chief(IW), Irrigation & CAD Department, Hyderabad dated Her services were regularized on 18-7-94 though she has already put in 14 years continuously since 20.3.1980. She represented that her 14 years of service rendered as Sweeper has not been considered while regularizing her services in the present post. As she is an illiterate person and not knowing the nature of her job, she accepted the job thinking that she was in place of her later husband's job. She has requested the Government to regularize her service w.e.f. 20.3.1980 instead of 18-7-1994 i.e. the date of her initial appointment on compassionate grounds.

2. The matter has been examined based on the report furnished by the Engineer-in-Chief(IW), Hyderabad in the reference 3rd read above. Government in the reference 4th read above, while rejecting the request of Smt. K. Padmavathamma, Attender, the Engineer-in-Chief(Irrgn.Wing.), Irrigation & CAD Department, Hyderabad has been informed that Smt. K. Padmavathamma, Attender was appointed as a Full Time Contingent Sweeper on monthly wages and accepted the same in the year 1980. Later, she was absorbed as regular sweeper in the Last Grade Service in the year 1994 in terms of G.O.184, Finance Department, Dated 18.6.1991. She was also further converted as Attender in the Last Grade Service during the year 2000. At this distant point of time, her request for regularization of services with effect from anterior date i.e. 20.3.1980 which is her initial appointment date, does not merit consideration.

- 3. In the reference 5th read above, Smt. K. Padmavathamma, Attender O/o. the Chief Engineer, Hydrology, Hyderabad has again requested to reconsider the case to regularize her service from the date of her first appointment in last grade Service i.e. on 20.3.1980 on par with others.
- 4. After careful re-examination of the matter, Government have observed that there is no fault on the incumbent i.e. Smt. K. Padmavathamma for opting out to contingent employment as she has no such knowledge and has been regularly making representations to rectify the injustice done to her.
- 5. Therefore, the Engineer-in-Chief(I.W), Irrigation & CAD Department, Hyderabad is requested to regularize the services of Smt. K. Padmavathamma W/o. late K. Venkataramana from the date of her initial appointment i.e. 20.3.1980 instead of 18.7.1994, as a special case without any monetary benefit and this will not be quoted in any other cases as precedent.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER, PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief(Irrgn.Wing),
Irrigation & CAD Department,
Hyderabad.
sf/sc.

// FORWARDED:: :: BY ORDER //

SECTION OFFICER